





FM 1036 city





Trasporto gru alla massima altezza.
 Transport avec la hauteur sous crochet maximale et portée maximale en chaque cas.
 Transport with max. hook height and max. radius in each case.
 Transport mit max. Hakenhöhe und jeweils max. Ausladung.

Reazioni - Réactions - Reactions - Eckdrucke



Peso gru a vuoto 20000 Kg
 Poids de construction
 Dead weight
 Konstruktionsgewicht



















Bracci e portate - Portée et charge - Radius and capacity - Ausladung und Tragfähigkeit

m	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Kg	4000	3870	3280	2830	2490	2000	1890	1790	1530	1400	1280	1180	1070	1000

m	10	12	14	16	18	20	22	24	26	28	30
Kg	4000	3870	3280	2830	2490	2000	1890	1790	1530	1400	1280

m	10	12	14	16	18	20	22	24	25	26	27
Kg	4000	3870	3280	2830	2490	2000	1890	1750	1650	1550	1500

Lista dei colli - Liste de colisage - Packing List - Kolli-Liste

Pos.	Q.tà	Descrizione		l Lungh. (m)	w largh. (m)	h Altezza (m)	Peso Unitario (Kg)	Peso Totale (Kg)
1	2	Bogie di traslazione motrice		1	1	0.5	500	1000
2	2	Bogie di traslazione condotta		1	0.4	0.5	400	800
3	2	Traversa di traslazione		4	0.5	0.5	1000	2000
4	1	Traversa carro lunga		5.091	0.566	0.618	1240	1240
5	2	Traversa carro corta		2.386	0.566	0.658	570	1140
6	1	Elemento standard da 3 m		3	1.21	1.21	610	610
7	6	Elemento standard da 6 m		6	1.21	1.21	1100	6600
8	1	Gruppo rotazione		7.395	1.345	1.75	3870	3870
9	1	Controbraccio 2°		5.905	1.11	0.33	450	450
10	1	Braccio 1°		6	0.98	0.875	466	466
11	1	Braccio 2°		6	0.98	0.875	364	364
12	1	Braccio 3°		6	0.98	0.875	364	364
13	1	Braccio 4°		6	0.98	0.875	370	370
14	1	Braccio 5°		6	0.98	0.875	301	301
15	1	Braccio 6°		2.4	0.98	0.875	116	116
16	1	Braccio 7°		3.6	0.98	0.875	186	186
17	1	Carrello		1.15	1.14	0.52	120	120
18	1	Cabina		1.57	1.28	2	300	300

Meccanismi
Mecanismos - Mechanisms - Antriebe - Mecanismos

			<i>m / min</i>	<i>Kg</i>	<i>KW</i>	
Sollevamento S20-320 <i>Levage - Hoisting</i> <i>Heben - Elevaciòn</i>			1 ^a	0 → 6.88	2000	14 KW 20 HP
			2 ^a	0 → 27.5	2000	
			3 ^a	0 → 55	1200	
		1 ^a	0 → 3.44	4000		
		2 ^a	0 → 13.7	4000		
		3 ^a	0 → 27.5	2400		
Distribuzione <i>Distribution - Trolleying</i> <i>Katzfahren - Distribucion</i>			1 ^a	32	6000	1.47 KW 3 HP
			2 ^a	64	1000	
Rotazione <i>Orientation - Slewing</i> <i>Schwenken - Orientaciòn</i>			1 ^a	0 → 0.2	giri / min tr / min U / min rpm	3 KW n° 1 motor 6,5 kgm
			2 ^a	0 → 0.6		
			3 ^a	0 → 0.9		
Traslazione <i>Translation - Travelling</i> <i>Kranfahren - Traslaciòn</i>			1 ^a	20		3.7 KW. 5 HP
Rete elettrica necessaria <i>Réseau - Mains supply</i> <i>Netzstrom - Red</i>					380 v 50 Hz	
Potenza elettrica necessaria <i>Puissance électrique nécessaire - Necessary electric power</i> <i>Anschlusswert - Potencia electrica necesaria</i>					35 KW	
Conforme alla direttiva CEE 87 / 405 sul livello acustico <i>Conforme à la directive CEE 87 / 405 sur le niveau acoustique - In compliance with the EEC 87 / 405 instruction on noise level</i> <i>Germäss EWG-Richtlinie 87 / 405 über Schall-Leistungspegel - Conforme con la direttiva CEE 87 / 405 sobre el nivel acustico</i>						


FUOCHI-MILANESI & C.
 S.A.S.

 Via Emilia Parmense Est, 11
 29010 Pontenure (Piacenza) Italy

Tel. 0523/510446 r. a. - Fax 0523/510365